

SPECIFICATION

Vertical & Variable Steam	:	Yes
Handle	:	Ergonomic
Power Code	:	Flexible
Soleplate	:	Non Stick
Indicator Light	:	Yes
Voltage	:	220-240V/50-60Hz
Power	:	1300 W



Steam Boost



Non Stick
Plate



Drip Stop
System

PACKING DETAILS

Net Weight	:	0.80 KG
Gross Weight	:	0.94 KG
Packaging Dimension	:	270 x 114 x 143 MM
Loading Capacity 40hq	:	15450



6 2 9 1 1 0 1 6 9 6 9 1 7

SPECIFICATION

Vertical & Variable Steam	:	Yes
Heat Selection	:	Variable
Handle	:	Ergonomic
Power Code	:	Flexible
Soleplate	:	Non Stick
Indicator Light	:	Yes
Voltage	:	220-240V/50-60Hz
Power	:	1300 W



Steam Boost



Non Stick
Plate



Drip Stop
System

PACKING DETAILS

Net Weight	:	0.97 KG
Gross Weight	:	1.04 KG
Packaging Dimension	:	298 x 124 x 151 MM
Loading Capacity 40hq	:	12187



6 2 9 1 1 0 1 6 9 6 9 2 4



SPECIFICATION

Heat Selection	: Variable
Handle	: Ergonomic
Power Code	: Flexible
Soleplate	: Non Stick
Indicator Light	: Yes
Voltage	: 220-240V/50-60Hz
Power	: 1000 W



Light Weight



Non Stick
Plate



6 2 9 1 1 0 1 6 9 6 9 0 0

PACKING DETAILS

Net Weight	: 0.82 KG
Gross Weight	: 0.87 KG
Packaging Dimension	: 255 x 110 x 140 MM
Loading Capacity 40hq	: 17000



SPECIFICATION

Weight	: 2.3 KG
Heat Selection	: Variable
Handle	: Bake Light
Power Code	: Safety Cloth Sleeve
Soleplate	: Gold Ceramic
Indicator Light	: Yes
Cloth Informer	: Yes
Auto Shut Off	: Yes
Voltage	: 220-240V/50-60Hz
Power	: 1200 W



Heavy Weight



Cloth Informer



Heavy Duty



6 2 9 1 1 0 1 6 9 7 3 3 4

PACKING DETAILS

Net Weight	: 2.30 KG
Gross Weight	: 2.6 KG
Packaging Dimension	: 288 x 130 x 140 MM
Loading Capacity 40hq	: 12974

Dry Iron

SPECIFICATION

Heat Selection	: Variable
Steam rate	: 20+/5G Min.
Power Code	: Flexible 360°
Soleplate	: Ceramic Coating
Functions	: Dry/Continuous Steam/ Self Clean
Voltage	: 220-240V/50-60Hz
Power	: 2000-2400 W



Light Weight



Non Stick
Plate



Continuous
Spray



High Water
Tank

PACKING DETAILS

Net Weight	: 1.25 KG
Gross Weight	: 1.47 KG
Packaging Dimension	: 322 x 134 x 167 MM
Loading Capacity 40hq	: 9437



6 2 9 1 1 0 1 6 9 8 8 7 4

SPECIFICATION

Heat Selection	: Variable
Steam rate	: 20+/5G Min.
Power Code	: Flexible 360°
Soleplate	: Ceramic Coating
Functions	: Dry/Continuous Steam/ Self Clean
Voltage	: 220-240V/50-60Hz
Power	: 2000-2400 W



Light Weight



Non Stick
Plate



Continuous
Spray



High Water
Tank

PACKING DETAILS

Net Weight	: 1.20 KG
Gross Weight	: 1.50 KG
Packaging Dimension	: 322 x 134 x 167 MM
Loading Capacity 40hq	: 9437



6 2 9 1 1 0 1 6 9 8 8 8 1



NSI25

SPECIFICATION

Heat Selection	: Variable
Steam rate	: 20+/5G Min.
Power Code	: Flexible 360°
Soleplate	: Ceramic Coating
Functions	: Dry/Continuous Steam/ Self Clean
Voltage	: 220-240V/50-60Hz
Power	: 2000-2400 W



Light Weight



Non Stick
Plate



Continuous
Spray



High Water
Tank



6 2 9 1 1 0 1 6 9 8 8 5 0

PACKING DETAILS

Net Weight	: 1.20 KG
Gross Weight	: 1.50 KG
Packaging Dimension	: 322 x 134 x 167 MM
Loading Capacity 40hq	: 9437



NSI26

SPECIFICATION

Heat Selection	: Variable
Steam rate	: 20+/5G Min.
Power Code	: Flexible 360°
Soleplate	: Ceramic Coating
Functions	: Dry/Continuous Steam/ Self Clean
Voltage	: 220-240V/50-60Hz
Power	: 2000-2400 W



Light Weight



Non Stick
Plate



Continuous
Spray



High Water
Tank



6 2 9 1 1 0 1 6 9 8 8 6 7

PACKING DETAILS

Net Weight	: 1.20 KG
Gross Weight	: 1.50 KG
Packaging Dimension	: 322 x 134 x 167 MM
Loading Capacity 40hq	: 9437

Steam Iron



SPECIFICATION

Automatic pilot light	: Yes
Handle	: Plastic Handle
Temperature	: 5 temperature settings
Soleplate	: Polished aluminum
Indicator Light	: Yes
Automatic pilot light	: Yes
Voltage	: 220-240V/50-60Hz
Power	: 1000-1200W



Light Weight



Non Stick Plate

PACKING DETAILS

Net Weight	: 7.2 KG (12 PCS)
Gross Weight	: 8.4 KG (12 PCS)
Packaging Dimension	: 475 x 256 x 365 MM
Loading Capacity 20Gp	: 2725
Loading Capacity 40hq	: 1545



6 2 9 1 1 0 1 6 9 5 6 7 5



SPECIFICATION

Hanger Capacity	: Upto 6 Garments
EVA Hose	: Flexible
Water Tank Capacity	: 1.8 Ltr (Upto 45 Mints Continuous Powerful Steam)
Shutoff Function	: Auto
Dry Element Protection	: Yes
Farbic Brush	: Yes
Finshbone Hanger	: Yes



Telescopic Pole



Fishbone Hanger




1.6 Premium Steam Nozzle

PACKING DETAILS

Net Weight	: 0.86 KG
Gross Weight	: 1.00 KG
Packaging Dimension	: 398 x 311 x 392 MM
Loading Capacity 40hq	: 1402



6 2 9 1 1 0 1 6 9 7 9 0 7



SPECIFICATION

Hanger Capacity	:	Upto 6 Garments
EVA Hose	:	Flexible
Water Tank Capacity	:	1.3 Ltr (Upto 45 Mints Continuous Powerful Steam)
Shutoff Function	:	Auto
Dry Element Protection	:	Yes
Farbic Brush	:	Yes
Finshbone Hanger	:	Yes



Telescopic Pole



Fishbone Hanger



Steam Nozzle with integrated folding hook



6 2 9 1 1 0 1 6 9 7 9 1 4

PACKING DETAILS

Net Weight	:	0.64 KG
Gross Weight	:	0.72 KG
Packaging Dimension	:	428 x 315 x 324 MM
Loading Capacity 40hq	:	1557



SPECIFICATION

Hanger Capacity	:	Upto 6 Garments
EVA Hose	:	Flexible
Water Tank Capacity	:	2 Ltr
Steam gear	:	Seven
Shutoff Function	:	Shut off after no water
Double heating system	:	Yes
Water Pump	:	Yes
Lower water warm	:	Yes
Steam rate (g/min)	:	1:20, 2:20, 3:24, 4:28, 5:32, 6:36, 7:dry



Telescopic Pole



Fishbone Hanger



Steam Nozzle with integrated folding hook




6 2 9 1 1 0 1 6 9 4 2 2 7

PACKING DETAILS

Net Weight	:	5.8 KG
Gross Weight	:	8.3 KG
Product Dimension	:	392 x 288 x 335 MM
Packaging Dimension	:	531 x 347 x 470 MM
Loading Capacity 20gp	:	176
Loading Capacity 40gp	:	365
Loading Capacity 40hq	:	428

SPECIFICATION



Display	: Multi Function
Grip	: Anti Slip Feet
Base	: Soft Touch
Capacity	: Upto 180KG
Auto on function	: Yes
tempered safely	
glass platform	: 6 mm
Batteries	: 2x AAA (included)
Low battery Indication	: Yes



Anti Spiit
Feet




Soft Touch
Base

PACKING DETAILS

Net Weight	: 10.9 KG
Gross Weight	: 9.2 KG
Product Dimension	: 280 x 280 x 20 MM
Packaging Dimension	: 309 x 33 x 294 MM
Loading Capacity 40hq	: 5772 (20GP) 12888(40GP)



6 2 9 1 1 0 1 6 9 1 4 3 1



SPECIFICATION

Display	: Multi Function
Grip	: Anti Slip Feet
Base	: Soft Touch
Capacity	: Upto 150 KG
Auto on function	: Yes
tempered safely	
glass platform	: 5 mm
Charging	: USB charge or battery
Low battery Indication	: Yes



Anti Spiit
Feet



Soft Touch
Base

PACKING DETAILS

Net Weight	: 8.9 KG
Gross Weight	: 7 KG
Product Dimension	: 280 x 280 x 20 MM
Packaging Dimension	: 309 x 33 x 294MM
Loading Capacity 40hq	: 6780 (20GP) 15126(40GP)



6 2 9 1 1 0 1 6 9 4 1 8 0

SPECIFICATION

Display	: Multi Function
Grip	: Anti Slip Feet
Base	: Soft Touch
Capacity	: Uptp 130 KG



NBS55



Anti Spiit
Feet



Soft Touch
Base


PACKING DETAILS

Net Weight	: 1.25 KG
Gross Weight	: 1.40 KG
Packaging Dimension	: 270 x 280 x 50 MM
Loading Capacity 40hq	: 17000



SPECIFICATION

Display	: LED 45x23mm
Battery	: 1xCR2032
Shutoff & Reset	: Automatic
Tare Weight Function	: Yes
Low Battery indication:	Yes
Overweight Indication :	Yes
Capacity	: Uptp 150 KG



NBS52



Anti Spiit
Feet

Available Colours



PACKING DETAILS

Net Weight	: 1.10 KG
Gross Weight	: 1.3 KG
Packaging Dimension	: 290 x 290 x 30 MM
Loading Capacity 40hq	: 22667

