

SPECIFICATION

| | | |
|-----------------|---|---------------|
| Control | : | Mechanical |
| Capacity | : | 100 Ltr |
| Refrigerant | : | R600a |
| Power Indicator | : | Yes |
| Condenser | : | Inside |
| Voltage | : | 220-240V/50Hz |
| Body Color | : | White |
| Inner Color | : | White |
| Lock & Key | : | Available |



Fast Freezing



Lock & Key

PACKING DETAILS

| | | |
|-----------------------|---|--------------------|
| Net Weight | : | 24 KG |
| Gross Weight | : | 27 KG |
| Packaging Dimension | : | 570 x 575 x 885 MM |
| Loading Capacity 40hq | : | 235 |



SPECIFICATION

| | | |
|-----------------|---|---------------|
| Control | : | Mechanical |
| Capacity | : | 185 Ltr |
| Refrigerant | : | R600a |
| Power Indicator | : | Yes |
| Condenser | : | Inside |
| Voltage | : | 220-240V/50Hz |
| Body Color | : | White |
| Inner Color | : | White |
| Lock & Key | : | Available |



Fast Freezing



Lock & Key

PACKING DETAILS

| | | |
|-----------------------|---|--------------------|
| Net Weight | : | 28 KG |
| Gross Weight | : | 31 KG |
| Packaging Dimension | : | 730 x 575 x 885 MM |
| Loading Capacity 40hq | : | 184 |





SPECIFICATION

| | | |
|-------------------|---|---------------|
| Control | : | Mechanical |
| Capacity | : | 150 Ltr |
| Refrigerant | : | R600a |
| Condenser | : | Outside |
| Door | : | Single Door |
| Thermostat | : | Adjustable |
| Freezing Capacity | : | 12 Kg/24h |
| Voltage | : | 220-240V/50Hz |
| Body Color | : | Silver |



Fast Freezing



Easy
Mobility



Defrost



PACKING DETAILS

| | | |
|-----------------------|---|--------------------|
| Net Weight | : | 32 KG |
| Gross Weight | : | 36 KG |
| Product Dimension | : | 711 x 551 x 835 MM |
| Packaging Dimension | : | 750 x 583 x 885 MM |
| Loading Capacity 40hq | : | 186 |

CHEST FREEZER



SPECIFICATION

| | | |
|-----------------------|---|---------------|
| Control | : | Mechanical |
| Capacity | : | 200 Ltr |
| Refrigerant | : | R600a |
| Condenser | : | Outside |
| Voltage | : | 220-240V/50Hz |
| Internal door light | : | Yes |
| Adjustable Thermostat | : | Yes |
| Lock & Key | : | Available |



Lock & Key



LED Light



Fast Freezing



PACKING DETAILS

| | | |
|-----------------------|---|--------------------|
| Net Weight | : | 38 KG |
| Gross Weight | : | 43 KG |
| Product Dimension | : | 901 x 551 x 835 MM |
| Packaging Dimension | : | 940 x 583 x 885 MM |
| Loading Capacity 40hq | : | 145 |

SPECIFICATION

| | | |
|-----------------|---|---------------|
| Control | : | Mechanical |
| Capacity | : | 200 Ltr |
| Refrigerant | : | R600a |
| Power Indicator | : | Yes |
| Condenser | : | Inside |
| Voltage | : | 220-240V/50Hz |
| Body Color | : | White |
| Inner Color | : | White |
| Lock & Key | : | Available |



Lock & Key



Fast Freezing

CHEST FREEZER



PACKING DETAILS

| | | |
|-----------------------|---|--------------------|
| Net Weight | : | 32 KG |
| Gross Weight | : | 36 KG |
| Packaging Dimension | : | 943 x 575 x 886 MM |
| Loading Capacity 40hq | : | 142 |

SPECIFICATION

| | | |
|------------|---|------------------|
| Control | : | Mechanical |
| Capacity | : | 265 L |
| Thermostat | : | Adjustable |
| Condenser | : | Inside |
| Wheels | : | Universal Caster |
| Voltage | : | 220-240V/50Hz |
| Body Color | : | White |
| Lock & Key | : | Available |



Fast Freezing



Lock & Key



Easy Mobility



Switchable Design



CFC Free



PACKING DETAILS

| | | |
|-----------------------|---|--------------------|
| Net Weight | : | 39 KG |
| Gross Weight | : | 43 KG |
| Packaging Dimension | : | 986 x 660 x 977 MM |
| Loading Capacity 40hq | : | 108 |



SPECIFICATION

| | | |
|-----------------------|---|---------------|
| Control | : | Mechanical |
| Energy Class | : | A |
| Capacity | : | 210 Ltr |
| Refrigerant | : | R600a |
| Condenser | : | Outside |
| Voltage | : | 220-240V/50Hz |
| Internal door light | : | Yes |
| Adjustable Thermostat | : | Yes |
| Lock & Key | : | Available |



Lock & Key



LED Light



Fast Freezing

PACKING DETAILS

| | | |
|-----------------------|---|--------------------|
| Net Weight | : | 31 KG |
| Gross Weight | : | 35 KG |
| Product Dimension | : | 905 x 550 x 850 MM |
| Packaging Dimension | : | 940 x 580 x 882 MM |
| Loading Capacity 40hq | : | 149 |



CHEST FREEZER



SPECIFICATION

| | | |
|-------------|---|------------------|
| Control | : | Mechanical |
| Capacity | : | 320 Ltr |
| Refrigerant | : | R600a |
| Thermostat | : | Adjustable |
| Condenser | : | Inside |
| Wheels | : | Universal Caster |
| Voltage | : | 220-240V/50Hz |
| Body Color | : | White |
| Lock & Key | : | Available |



Lock & Key



Easy
Mobility



Switchable
Design



CFC Free



Fast Freezing

PACKING DETAILS

| | | |
|-----------------------|---|---------------------|
| Net Weight | : | 47 KG |
| Gross Weight | : | 54 KG |
| Packaging Dimension | : | 1085 x 780 x 885 MM |
| Loading Capacity 40hq | : | 91 |



SPECIFICATION

| | | |
|-----------------------|---|---------------|
| Control | : | Mechanical |
| Capacity | : | 315 Ltr |
| Refrigerant | : | R600a |
| Condenser | : | Outside |
| Voltage | : | 220-240V/50Hz |
| Internal door light | : | Yes |
| Adjustable Thermostat | : | Yes |
| Lock & Key | : | Available |



NCF333

Nobel



Lock & Key



LED Light



Fast Freezing

PACKING DETAILS

| | | |
|-----------------------|---|---------------------|
| Net Weight | : | 52 KG |
| Gross Weight | : | 62 KG |
| Product Dimension | : | 1120 x 640 x 860 MM |
| Packaging Dimension | : | 1160 x 665 x 889 MM |
| Loading Capacity 40hq | : | 106 |



6 2 9 1 1 0 1 6 9 0 6 3 2

SPECIFICATION

| | | |
|-----------------------|---|---------------|
| Control | : | Mechanical |
| Capacity | : | 308L Ltr |
| Refrigerant | : | R600a |
| Condenser | : | Outside |
| Voltage | : | 220-240V/50Hz |
| Internal door light | : | Yes |
| Adjustable Thermostat | : | Yes |
| Lock & Key | : | Available |



NCF334

Nobel



Lock & Key



LED Light



Fast Freezing

PACKING DETAILS

| | | |
|-----------------------|---|---------------------|
| Net Weight | : | 52 KG |
| Gross Weight | : | 62 KG |
| Product Dimension | : | 1326 x 755 x 875 MM |
| Packaging Dimension | : | 1160 x 665 x 889 MM |
| Loading Capacity 40hq | : | 106 |



6 2 9 1 1 0 1 6 9 2 2 4 7



NCF350

SPECIFICATION

| | | |
|-------------|---|------------------|
| Control | : | Mechanical |
| Capacity | : | 316 Ltr |
| Refrigerant | : | R600a |
| Thermostat | : | Adjustable |
| Condenser | : | Inside |
| Wheels | : | Universal Caster |
| Voltage | : | 220-240V/50Hz |
| Body Color | : | White |
| Lock & Key | : | Available |



Fast Freezing



Lock & Key



Easy
Mobility



Switchable
Design



CFC Free

CHEST FREEZER



6 2 9 1 1 0 1 6 9 9 6 1 1

PACKING DETAILS

| | | |
|-----------------------|---|---------------------|
| Net Weight | : | 44 KG |
| Gross Weight | : | 50 KG |
| Packaging Dimension | : | 1156 x 748 x 885 MM |
| Loading Capacity 40hq | : | 89 |



NCF425

SPECIFICATION

| | | |
|-----------------|---|---------------|
| Control | : | Mechanical |
| Capacity | : | 380 Ltr |
| Refrigerant | : | R600a |
| Power Indicator | : | Yes |
| Condenser | : | Inside |
| Voltage | : | 220-240V/50Hz |
| Body Color | : | White |
| Inner Color | : | White |
| Lock & Key | : | Available |



Lock & Key



Fast Freezing

PACKING DETAILS

| | | |
|-----------------------|---|---------------------|
| Net Weight | : | 50 KG |
| Gross Weight | : | 57 KG |
| Packaging Dimension | : | 1336 x 748 x 885 MM |
| Loading Capacity 40hq | : | 77 |



6 2 9 1 1 0 1 6 9 7 6 7 9

SPECIFICATION

| | | |
|-----------------------|---|---------------|
| Control | : | Mechanical |
| Capacity | : | 420L Ltr |
| Refrigerant | : | R600a |
| Condenser | : | Outside |
| Voltage | : | 220-240V/50Hz |
| Internal door light | : | Yes |
| Adjustable Thermostat | : | Yes |
| Lock & Key | : | Available |



Lock & Key



LED Light



Fast Freezing

PACKING DETAILS

| | | |
|-----------------------|---|----------------------|
| Net Weight | : | 60 KG |
| Gross Weight | : | 67 KG |
| Product Dimension | : | 1326 x 755 x 875 MM |
| Packaging Dimension | : | 11378 x 766 x 889 MM |
| Loading Capacity 40hq | : | 74 |



SPECIFICATION

| | | |
|-------------|---|---------------|
| Control | : | Mechanical |
| Noise level | : | <52dBA |
| Capacity | : | 420L Ltr |
| Refrigerant | : | R600a |
| Condenser | : | Outside |
| Voltage | : | 220-240V/50Hz |
| Lamp | : | LED |
| Basket | : | 1 |
| Lock & Key | : | Available |



Lock & Key



LED Light



Fast Freezing

PACKING DETAILS

| | | |
|-----------------------|---|---------------------|
| Net Weight | : | 60 KG |
| Gross Weight | : | 67 KG |
| Product Dimension | : | 1326 x 755 x 875 MM |
| Packaging Dimension | : | 1378 x 766 x 889 MM |
| Loading Capacity 40hq | : | 74 |





NCF555

SPECIFICATION

| | | |
|--------------|---|---------------|
| Control | : | Mechanical |
| Energy Class | : | A |
| Capacity | : | 519 Ltr |
| Refrigerant | : | R600a |
| Condenser | : | Outside |
| Voltage | : | 220-240V/50Hz |
| Lamp | : | LED |
| Basket | : | 1 |
| Lock & Key | : | Available |

NCF555



6 2 9 1 1 0 1 6 9 0 8 9 2

NCF556



6 2 9 1 1 0 1 6 9 0 8 6 1



Lock & Key



LED Light



Fast Freezing

PACKING DETAILS

| | | |
|-----------------------|---|---------------------|
| Net Weight | : | 69 KG |
| Gross Weight | : | 76 KG |
| Product Dimension | : | 1606 x 755 x 900 MM |
| Packaging Dimension | : | 1658 x 766 x 952 MM |
| Loading Capacity 40hq | : | 56 |

CHEST FREEZER



NCF625

SPECIFICATION

| | | |
|----------------|---|---------------|
| Control | : | Mechanical |
| Capacity | : | 508 Ltr |
| Refrigerant | : | R290 |
| Condenser | : | Hidden |
| Door | : | Double Door |
| Thermostat | : | Adjustable |
| Freezer rating | : | 4 Star : 18°C |
| Voltage | : | 220-240V/50Hz |
| Body Color | : | White |



Fast Freezing



Easy
Mobility



Defrost

PACKING DETAILS

| | | |
|-----------------------|---|---------------------|
| Net Weight | : | 75 KG |
| Gross Weight | : | 85 KG |
| Product Dimension | : | 1640 x 700 x 865MM |
| Packaging Dimension | : | 1680 x 748 x 890 MM |
| Loading Capacity 40hq | : | 63 |



6 2 9 1 1 0 1 6 9 2 9 7 1

SPECIFICATION

| | | |
|--------------|---|---------------|
| Control | : | Mechanical |
| Energy Class | : | A |
| Capacity | : | 580 Ltr |
| Refrigerant | : | R290 |
| Condenser | : | Outside |
| Voltage | : | 220-240V/50Hz |
| Lamp | : | LED |
| Basket | : | 1 |
| Lock & Key | : | Available |



Lock & Key



LED Light



Fast Freezing

PACKING DETAILS

| | | |
|-----------------------|---|---------------------|
| Net Weight | : | 67 KG |
| Gross Weight | : | 88 KG |
| Packaging Dimension | : | 1770 x 770 x 940 MM |
| Loading Capacity 40hq | : | 52 |



6 2 9 1 1 0 1 6 9 9 9 0 1

SPECIFICATION

| | | |
|--------------|---|---------------|
| Control | : | Mechanical |
| Energy Class | : | A |
| Capacity | : | 780 Ltr |
| Refrigerant | : | R290 |
| Condenser | : | Outside |
| Voltage | : | 220-240V/50Hz |
| Lamp | : | LED |
| Basket | : | 1 |
| Lock & Key | : | Available |



Lock & Key



LED Light



Fast Freezing

PACKING DETAILS

| | | |
|-----------------------|---|---------------------|
| Net Weight | : | 78 KG |
| Gross Weight | : | 90 KG |
| Packaging Dimension | : | 1960 x 880 x 940 MM |
| Loading Capacity 40hq | : | 26 |



6 2 9 1 1 0 1 6 9 9 9 1 8



NCF60MB

SPECIFICATION

| | | |
|---------------------|---|----------------------------|
| Control | : | 3 stage battery protection |
| Capacity | : | 58L Ltr |
| Refrigerant | : | R134a |
| USB charging outlet | : | 5 V / 2.1 A rating |
| Cooling Performance | : | 18°C~10° C |
| Outside Material | : | PP+ABS |
| Inner Color | : | White |
| Insulation | : | CFC-free PU foam |



LED Light



Fast Freezing

PACKING DETAILS

| | | |
|-----------------------|---|--------------------|
| Net Weight | : | 20.1 KG |
| Gross Weight | : | 18.0 KG |
| Product Dimension | : | 795×448×435 MM |
| Packaging Dimension | : | 789 × 514 × 493 MM |
| Loading Capacity 40hq | : | 340 |



6 2 9 1 1 0 1 6 9 0 9 7 7

PORTABLE FREEZER



NSC495

SPECIFICATION

| | | |
|-------------|---|-------------------------|
| Control | : | Mechanical |
| Capacity | : | 328 Ltr |
| Refrigerant | : | R134a |
| Condenser | : | Concealed |
| Door | : | Double Sliding Door |
| Thermostat | : | Adjustable |
| Glass | : | Anti-frost Double Layer |
| Voltage | : | 220-240V/50Hz |
| Body Color | : | White/Blue |



Fast Freezing



Easy Mobility



Defrost

PACKING DETAILS

| | | |
|-----------------------|---|---------------------|
| Net Weight | : | 54 KG |
| Gross Weight | : | 60 KG |
| Product Dimension | : | 1294 x 598 x 845 MM |
| Packaging Dimension | : | 1350 x 650 x 890 MM |
| Loading Capacity 40hq | : | 75 |



6 2 9 1 1 0 1 6 9 4 1 0 4

SHOW CASE CHILLER

SPECIFICATION

| | |
|-------------|---------------------------|
| Control | : Mechanical |
| Capacity | : 258 Ltr |
| Refrigerant | : R134a |
| Condenser | : Concealed |
| Door | : Double Sliding Door |
| Thermostat | : Adjustable |
| Glass | : Anti-frost Double Layer |
| Voltage | : 220-240V/50Hz |
| Body Color | : White/Blue |



NSC395



Fast Freezing



Easy Mobility



Defrost

PACKING DETAILS

| | |
|-----------------------|-----------------------|
| Net Weight | : 50 KG |
| Gross Weight | : 54 KG |
| Product Dimension | : 1054 x 598 x 825 MM |
| Packaging Dimension | : 1110 x 650 x 885 MM |
| Loading Capacity 40hq | : 98 |



SHOW CASE CHILLER

SPECIFICATION

| | |
|---------------------|-------------------------|
| Refrigerator Volume | : 245 Ltr |
| Refrigerant | : R600a |
| Control | : Mechanical |
| Cooling | : Direct Fan |
| Condenser | : Outside |
| Thermostat | : Adjustable |
| Voltage | : 220-240V/50Hz |
| Shelves | : Adjustable Wire Shelf |
| Glass | : Anti Frost |
| Lock & Key | : Available |
| Wheels | : Castor Wheels |



NSF245



Lock & Key



Easy Mobility



Fast Freezing

PACKING DETAILS

| | |
|-----------------------|-----------------------|
| Net Weight | : 58 KG |
| Gross Weight | : 64 KG |
| Product Dimension | : 535 x 580 x 1696 MM |
| Packaging Dimension | : 1620 x 615 x 580 MM |
| Loading Capacity 40hq | : 102 |





SPECIFICATION

| | | |
|---------------------|---|-----------------------|
| Refrigerator Volume | : | 325 Ltr |
| Refrigerant | : | R600a |
| Control | : | Mechanical |
| Cooling | : | Direct Fan |
| Condenser | : | Outside |
| Thermostat | : | Adjustable |
| Voltage | : | 220-240V/50Hz |
| Shelves | : | Adjustable Wire Shelf |
| Glass | : | Anti Frost |
| Lock & Key | : | Available |
| Wheels | : | Castor Wheels |



Lock & Key



Easy
Mobility

PACKING DETAILS

| | | |
|-----------------------|---|-----------------------|
| Net Weight | : | 72 KG |
| Gross Weight | : | 78 KG |
| Packaging Dimension | : | 640 x 625 x 1945 MM |
| Loading Capacity 40hq | : | 98 in 1x40HQ (NSC395) |



SHOW CASE CHILLER



SPECIFICATION

| | | |
|---------------------|---|-------------------------|
| Control | : | Mechanical |
| Cooling | : | Direct Fan |
| Condenser | : | Concealed |
| Thermostat | : | Adjustable |
| Voltage | : | 220-240V/50Hz |
| Shelves | : | 6 Adjustable Wire Shelf |
| Refrigerator Volume | : | 338 Ltr |
| Refrigerant | : | R600a |
| Glass | : | Anti Frost |
| Lock & Key | : | Available |
| Wheels | : | Castor Wheels |



Lock & Key



Easy
Mobility

PACKING DETAILS

| | | |
|-----------------------|---|---------------------|
| Net Weight | : | 75 KG |
| Gross Weight | : | 85 KG |
| Packaging Dimension | : | 640 x 625 x 2020 MM |
| Loading Capacity 40hq | : | 85 |



SPECIFICATION

| | | |
|---------------------|---|---------------------|
| Refrigerator Volume | : | 518 Ltr Double Door |
| Control | : | Mechanical |
| Cooling | : | Defrost Fan Cooling |
| Refrigerant | : | R134a |
| Condenser | : | Outside |
| Thermostat | : | Adjustable |
| Voltage | : | 220-240V/50Hz |
| Light | : | LED Lighting |
| Glass | : | Anti Frost |
| Lock & Key | : | Available |
| Wheels | : | Castor Wheels |



Lock & Key



Easy
Mobility



LED Light

PACKING DETAILS

| | | |
|-----------------------|---|---------------------|
| Net Weight | : | 88 KG |
| Gross Weight | : | 94 KG |
| Packaging Dimension | : | 935 x 625 x 2130 MM |
| Loading Capacity 40hq | : | 44 |



6 2 9 1 1 0 1 6 9 5 8 9 7



NSF650

SHOW CASE CHILLER

SPECIFICATION

| | | |
|-------------------------------|---|---------------------|
| Refrigerator Volume | : | 488 Ltr Double Door |
| Control | : | Mechanical |
| Cooling | : | Direct Fan |
| Refrigerant | : | R134a |
| Condenser | : | Inside |
| Voltage | : | 220-240V/50Hz |
| Noise level (db) | : | ≤ 54 dB(A) |
| Adjustable thermostat | : | Yes |
| Anti-frost double layer glass | : | Yes |
| Wheels | : | Castor Wheels |



Lock & Key



Easy
Mobility

PACKING DETAILS

| | | |
|-----------------------|---|---------------------|
| Net Weight | : | 90 KG |
| Gross Weight | : | 100 KG |
| Product Dimension | : | 865 x 530 x 1960 MM |
| Packaging Dimension | : | 915 x 580 x 2000 MM |
| Loading Capacity 40hq | : | 52pcs in 1x40HQ |



6 2 9 1 1 0 1 6 9 4 9 4 4



NSF700



NSF1000SD

SPECIFICATION

| | | |
|-------------------------|---|-----------------------|
| Refrigerator Volume | : | 1000 Ltr Sliding Door |
| Control | : | Mechanical |
| Cooling | : | Direct Fan |
| Refrigerant | : | R134a |
| Condenser | : | Outside |
| Cool Air Sustain System | : | Yes |
| Voltage | : | 220-240V/50Hz |
| Self Evaporative Tech. | : | Yes |
| Anti Condensation | : | Yes |
| Air Curtain | : | Yes |
| Wheels | : | Castor Wheels |



Lock & Key



**Easy
Mobility**



LED Light

PACKING DETAILS

| | | |
|-----------------------|---|----------------------|
| Net Weight | : | 130 KG |
| Gross Weight | : | 147 KG |
| Packaging Dimension | : | 1050 x 750 x 2100 MM |
| Loading Capacity 40hq | : | 42 |



SHOWCASE CHILLER



NSF800

SPECIFICATION

| | | |
|---------------------|---|---------------------|
| Refrigerator Volume | : | 618 Ltr Double Door |
| Control | : | Mechanical |
| Cooling | : | Defrost Fan Cooling |
| Refrigerant | : | R134a |
| Condenser | : | Outside |
| Thermostat | : | Adjustable |
| Voltage | : | 220-240V/50Hz |
| Light | : | LED Lighting |
| Glass | : | Anti Frost |
| Lock & Key | : | Available |
| Wheels | : | Castor Wheels |



Lock & Key



**Easy
Mobility**



LED Light

PACKING DETAILS

| | | |
|-----------------------|---|----------------------|
| Net Weight | : | 91 KG |
| Gross Weight | : | 100 KG |
| Packaging Dimension | : | 1055 x 625 x 2130 MM |
| Loading Capacity 40hq | : | 41 |





NSF1200SD



Lock & Key



Easy
Mobility



LED Light

PACKING DETAILS

Net Weight : 136 KG
Gross Weight : 160 KG
Packaging Dimension : 1180 x 750 x 2100 MM
Loading Capacity 40hq : 37

SPECIFICATION

Refrigerator Volume : 1200 Ltr Sliding Door
Control : Mechanical
Cooling : Direct Fan
Refrigerant : R134a
Condenser : Outside
Cool Air Sustain System : Yes
Voltage : 220-240V/50Hz
Self Evaporative Tech. : Yes
Anti Condensation : Yes
Air Curtain : Yes
Wheels : Castor Wheels

