



**Elegant
Fresh Cool
Refrigerators**



NR66N

SPECIFICATION

Cooling System	:	Single door Defrost
Capacity	:	48 Ltr
Condenser	:	Inside
Refrigerant	:	R600a
Control System	:	Mechanical
Handle	:	Recessable
Voltage	:	220-240V/50Hz
Color	:	White



Defrost



CFC Free



Low Noise



Energy Saving



Temperature Control

PACKING DETAILS

Net Weight	:	15 KG
Gross Weight	:	17 KG
Product Dimension	:	445 x 470 x 501 MM
Packaging Dimension	:	460 x 500 x 530 MM
Loading Capacity 40hq	:	574



6 2 9 1 1 0 1 6 9 3 0 6 0

REFRIGERATOR



NR130SSN

SPECIFICATION

Cooling System	:	Single door Defrost
Type	:	Defrost top-mounted
Capacity	:	92 Ltr
Refrigerant	:	R600a
Control System	:	Mechanical
Condenser	:	Inside
Handle	:	Recessed
Voltage	:	220-240V/50Hz
Color	:	Silver



Defrost



LED Light



Temperature Control



Refrigerant



Lock & Key

PACKING DETAILS

Net Weight	:	21 KG
Gross Weight	:	23 KG
Product Dimension	:	474 x 447 x 831 MM
Packaging Dimension	:	514 x 463 x 860 MM
Loading Capacity 40hq	:	349



6 2 9 1 1 0 1 6 9 3 2 1

SPECIFICATION

Cooling System	:	Single Door Full No-frost
Net Capacity	:	122 Ltr
Gross Capacity	:	123 Ltr
Refrigerant	:	R600a
Doors	:	Single
Door Color	:	White Finish
Condenser	:	Inside
Control System	:	Mechanical
Voltage	:	220-240V/50Hz
Vegetable Crisper	:	Plastic/Glass
Adjustable Thermostat	:	Yes



No Frost



CFC Free



Low Noise



Energy Saving



Temperature Control



NRF155

PACKING DETAILS

Net Weight	:	25 KG
Gross Weight	:	27 KG
Product Dimension	:	524x 532 x 831 MM
Packaging Dimension	:	570 x 580 x 880 MM
Loading Capacity 40hq	:	248



6 2 9 1 1 0 1 6 9 3 6 8 8

SPECIFICATION

Cooling System	:	Single door Defrost
Net Capacity	:	86 Ltr
Gross Capacity	:	90 Ltr
Condenser	:	Inside
Refrigerant	:	R600a
Control System	:	Mechanic
Handle	:	Recessable
Voltage	:	220-240V/50-60Hz
Color	:	Inox
Shelf	:	Glass



Defrost



CFC Free



Low Noise



Energy Saving



Temperature Control



NR135RS

PACKING DETAILS

Net Weight	:	21.5 KG
Gross Weight	:	22.5 KG
Product Dimension	:	453 x 456 x 825 MM
Packaging Dimension	:	465 x 476 x 860 MM
Loading Capacity 40hq	:	375



6 2 9 1 1 0 1 6 9 3 1 7 6

NR180SSN



SPECIFICATION

Cooling System	:	Single door Defrost
Net Capacity	:	122 Ltr
Gross Capacity	:	170 Ltr
Refrigerant	:	R600a
Condenser	:	Outside
Lamp	:	Bright Inner Lamp
Voltage	:	220-240V/50Hz
Color	:	Silver Finish



Defrost



Temperature Control



CFC Free



Lock & Key



Refrigerant

PACKING DETAILS

Net Weight	:	31 KG
Gross Weight	:	34 KG
Product Dimension	:	519 x 525 x 1154 MM
Packaging Dimension	:	560 x 600 x 1194 MM
Loading Capacity 40hq	:	164



6 2 9 1 1 0 1 6 9 7 2 0 4

REFRIGERATOR

NR180SDN



SPECIFICATION

Cooling System	:	Double door Defrost
Capacity	:	146 Ltr
Refrigerant	:	R600a
Lamp	:	Bright Inner Lamp
Voltage	:	220-240V/50Hz
Color	:	Silver Finish
Refrigerator Shelves	:	Glass Material



Defrost



Temperature Control



LED Light



Lock & Key

PACKING DETAILS

Net Weight	:	32 KG
Gross Weight	:	35 KG
Product Dimension	:	474 x 527 x 1282 MM
Packaging Dimension	:	515 x 582 x 1315 MM
Loading Capacity 40hc	:	183



6 2 9 1 1 0 1 6 9 7 2 1 1

SPECIFICATION

Cooling System	:	Double door Defrost
Net Capacity	:	125 Ltr
Gross Capacity	:	132 Ltr
Refrigerant	:	R600a
Handle	:	Recessed Handle
Freezer	:	Top Mount
Lamp	:	Bright LED Lamp
Voltage	:	220-240V/50Hz
Color	:	Deluxe White
Refrigerator Shelves	:	2
Door Shelves	:	Transparent



Gross Capacity



Defrost



40dB Noise Level



LED Light



Temperature Control



Refrigerant

PACKING DETAILS

Net Weight	:	29 KG
Gross Weight	:	33 KG
Product Dimension	:	453 x 525 x 1266 MM
Packaging Dimension	:	488 x 553 x 1320 MM
Loading Capacity 40hq	:	192



6 2 9 1 1 0 1 6 9 2 6 7 4



SPECIFICATION

Cooling System	:	Double door Defrost
Net Capacity	:	126 Ltr
Gross Capacity	:	170 Ltr
Refrigerant	:	R600a
Handle	:	Recessed
Freezer	:	Top Mount
Lamp	:	Bright LED Lamp
Voltage	:	220-240V/50Hz



Gross Capacity



Defrost



40dB Noise Level



LED Light



Temperature Control



Refrigerant

PACKING DETAILS

Net Weight	:	33 KG
Gross Weight	:	36KG
Product Dimension	:	540 x 570 x 1230 MM
Packaging Dimension	:	578 x 600 x 1284 MM
Loading Capacity 40hq	:	109



6 2 9 1 1 0 1 6 9 1 2 5 7



NR250ST



SPECIFICATION

Cooling System	:	Double Door Defrost
Net Capacity	:	171 Ltr
Gross Capacity	:	213 Ltr
Refrigerant	:	R600a
Handle	:	Recessed Handle
Freezer	:	Top Mount
Lamp	:	Bright LED Lamp
Refrigerator Shelves	:	3
Door Shelves	:	Transparent



Gross Capacity



Defrost



42dB Noise Level



LED Light



Temperature Control



Refrigerant

PACKING DETAILS

Net Weight	:	39 KG
Gross Weight	:	42 KG
Product Dimension	:	540 x 570 x 1450 MM
Packaging Dimension	:	578 x 600 x 1509 MM
Loading Capacity 40hq	:	134



6 2 9 1 1 0 1 6 9 1 2 6 4

REFRIGERATOR



NR255RS



SPECIFICATION

Cooling System	:	Double Door Defrost
Net Capacity	:	174 Ltr
Gross Capacity	:	225 Ltr
Refrigerant	:	R600a
Handle	:	Recessed Handle
Freezer	:	Top Mount
Lamp	:	Bright LED Lamp
Refrigerator Shelves	:	2
Door Shelves	:	Transparent



Gross Capacity



Defrost



40dB Noise Level



LED Light



Temperature Control



Refrigerant

PACKING DETAILS

Net Weight	:	37 KG
Gross Weight	:	41 KG
Product Dimension	:	546 x 566 x 1440 MM
Packaging Dimension	:	560 x 600 x 1490 MM
Loading Capacity 40hq	:	140



6 2 9 1 1 0 1 6 9 1 8 9 9

SPECIFICATION

Cooling System	:	Double door Defrost
Capacity	:	172 Ltr
Refrigerant	:	R600a
Handle	:	Grip
Freezer	:	Top Mount
Lock & Key	:	Yes
Lamp	:	Bright LED Lamp
Voltage	:	220-240V/50Hz
Color	:	Deluxe White
Refrigerator Shelves	:	4
Door Shelves	:	Transparent



NR200DFN



Defrost



Lock & Key



LED Light



Temperature Control



Refrigerant

PACKING DETAILS

Net Weight	:	36 KG
Gross Weight	:	40 KG
Product Dimension	:	474 x 527 x 1482 MM
Packaging Dimension	:	515 x 582 x 1515 MM
Loading Capacity 40hq	:	152



6 2 9 1 1 0 1 6 9 7 4 4 0

SPECIFICATION

Cooling System	:	Double door Defrost
Capacity	:	172 Ltr
Refrigerant	:	R600a
Handle	:	Grip
Freezer	:	Top Mount
Lock & Key	:	Yes
Lamp	:	Bright LED Lamp
Voltage	:	220-240V/50Hz
Color	:	Silver Brush Effect



NR200DFSS



Defrost



LED Light



Temperature Control



Refrigerant

PACKING DETAILS

Net Weight	:	36 KG
Gross Weight	:	40 KG
Product Dimension	:	474 x 527 x 1482 MM
Packaging Dimension	:	515 x 582 x 1515 MM
Loading Capacity 40hq	:	152



6 2 9 1 1 0 1 6 9 9 3 3 8

REFRIGERATOR



SPECIFICATION

Capacity	: 250 L
Refrigerant	: R600a
Doors	: 2
Door Color	: Silver Finish
Condenser	: Inside
Lamp	: Interior Lamp
Voltage	: 220-240V/50Hz
Plug Type	: BS plug
Defrost Drain	: Defrost
Compressor(Fixed/Inverter)	: Fixed



Defrost



LED Light



Temperature Control



Refrigerant

PACKING DETAILS

Net Weight	: 37 KG
Gross Weight	: 41 KG
Product Dimension	: 519 x 554 x 1483 MM
Packaging Dimension	: 560 x 600 x 1522 MM
Loading Capacity 40hq	: 132

REFRIGERATOR



SPECIFICATION

Net Capacity	: 213 Ltr
Gross Capacity	: 275 Ltr
Refrigerant	: R600a
Doors	: 2
Door Color	: Silver Finish
Condenser	: Inside
Lamp	: Interior Lamp
Voltage	: 220-240V/50Hz
Star Rating	: 3 Star
Vegetable Crisper	: Yes
Adjustable Thermostat	: Yes



Refrigerant



LED Light



Temperature Control



Energy Saving



Noise Level (dB) 40

PACKING DETAILS

Net Weight	: 46 KG
Gross Weight	: 51 KG
Product Dimension	: 550 x 570 x 1700 MM
Packaging Dimension	: 580 x 600 x 1740 MM
Loading Capacity	: 106

SPECIFICATION

Cooling System	:	Double Door
Net Capacity	:	332 Ltr
Gross Capacity	:	368 Ltr
Refrigerant	:	R600a
Freezer	:	Top Mount
Lamp	:	LED Lamp
Voltage	:	220-240V/50-60
Color	:	Inox
Glass Shelves	:	2
Shelves	:	Glass
Noise Level(dB)	:	40



LED Light



Temperature Control



Noise Level (dB) 40



Refrigerant



NR380NF

PACKING DETAILS

Net Weight	:	58 KG
Gross Weight	:	63 KG
Product Dimension	:	600 x 645 x 1730
Packaging Dimension	:	635 x 685 x 1760 MM
Loading Capacity	:	74



6 2 9 1 1 0 1 6 9 7 7 4 7

SPECIFICATION

Cooling System	:	Double Door Full No-frost
Refrigerant	:	R600a
Capacity	:	390 L
Doors	:	2
Door Color	:	White Finish
Condenser	:	Inside
Lamp	:	Bright Inner Lamp
Voltage	:	220-240V/50Hz
Refrigerator Shelves	:	Glass Material
Adjustable Thermostat	:	Yes



Nofrost



Temperature Control



Refrigerant



Lock & Key



LED Light



NRF490

PACKING DETAILS

Net Weight	:	67 KG
Gross Weight	:	73 KG
Product Dimension	:	690 x 570 x 1685 MM
Packaging Dimension	:	730 x 690 x 1795 MM
Loading Capacity 40hq	:	73



6 2 9 1 1 0 1 6 9 0 6 2 5

REFRIGERATOR



NR500NF



SPECIFICATION

Cooling System	:	Double Door
Net Capacity	:	392 Ltr
Gross Capacity	:	466 Ltr
Refrigerant	:	R600a
Freezer	:	Top Mount
Lamp	:	LED Lamp
Voltage	:	220-240V/50-60Hz
Color	:	Black Glass
Glass Shelves	:	3
Shelves	:	Glass
Noise Level(dB)	:	40



LED Light



Temperature Control



Refrigerant



Noise Level (dB) 40

PACKING DETAILS

Net Weight	:	77 KG
Gross Weight	:	83 KG
Product Dimension	:	700 x 680 x 1845 MM
Packaging Dimension	:	765 x 745 x 1910 MM
Loading Capacity 40hq	:	63



6 2 9 1 1 0 1 6 9 7 7 5 4

REFRIGERATOR



NRF575



SPECIFICATION

Cooling System	:	Double Door Full No-frost
Refrigerant	:	R600a
Capacity	:	Refrigerator - 362 L Freezer - 121 L
Doors	:	2
Door Color	:	White Finish
Condenser	:	Inside
Lamp	:	Bright Inner Lamp
Voltage	:	220-240V/50Hz
Vegetable Crisper	:	Plastic/Glass
Adjustable Thermostat	:	Yes



Nofrost



Temperature Control



Refrigerant



Lock & Key



LED Light

PACKING DETAILS

Net Weight	:	80 KG
Gross Weight	:	88 KG
Product Dimension	:	790 x 695 x 1735 MM
Packaging Dimension	:	835 x 745 x 1810 MM
Loading Capacity	:	60



6 2 9 1 1 0 1 6 9 0 6 1 8

SPECIFICATION

Cooling System	:	Double Door Defrost
Net Capacity	:	440 Ltr
Gross Capacity	:	580 Ltr
Refrigerant	:	R600a
Freezer	:	Top Mount
Lamp	:	LED Lamp
Voltage	:	220-240V/50-60Hz
Color	:	Stainless steel
Glass Shelves	:	3
Shelves	:	Glass
Noise Level(dB)	:	43



NR610NF



Defrost



Temperature Control



Refrigerant



LED Light

PACKING DETAILS

Net Weight	:	89 KG
Gross Weight	:	97 KG
Product Dimension	:	855 x 733 x 1835 MM
Packaging Dimension	:	902 x 770 x 1908 MM
Loading Capacity	:	51



6 2 9 1 1 0 1 6 9 7 7 6 1

SPECIFICATION

Cooling System	:	Double Door Defrost
Net Capacity	:	235 Ltr
Gross Capacity	:	245 Ltr
Refrigerant	:	R600a
Freezer	:	Bottom Mounted Freezer
Lamp	:	LED Lamp
Voltage	:	220-240V/50Hz
Color	:	White
Glass Shelves	:	2
Shelves	:	Glass
Noise Level(dB)	:	42



LED Light



Temperature Control



Defrost



Refrigerant

PACKING DETAILS

Net Weight	:	54 KG
Gross Weight	:	61 KG
Product Dimension	:	545 x 583 x 1610 MM
Packaging Dimension	:	575 x 595 x 1655 MM
Loading Capacity 40hq	:	108



NBF325



6 2 9 1 1 0 1 6 9 3 6 7 1

REFRIGERATOR



NUF370DFS

UPRIGHT FREEZER

SPECIFICATION

Cooling System	:	Single Door Upright Freezer Defrost
Net Capacity	:	285 Ltr
Gross Capacity	:	288 LTr
Refrigerant	:	R600a
Doors	:	1
Control Type	:	Mechanical Thermostat
Handle Type	:	Aluminium
Noise Level	:	41 (dB)



Gross Capacity



Defrost



41dB Noise Level



Energy Saving



Temperature Control



Refrigerant



Reversible

PACKING DETAILS

Net Weight	:	65.3 KG
Gross Weight	:	70 KG
Product Dimension	:	595 x 600 x 1765 MM
Packaging Dimension	:	680x 710 x 1805 MM
Loading Capacity 40hq	:	73



SPECIFICATION

Cooling System	:	Single Door No frost
Net Capacity	:	290 Ltr
Gross Capacity	:	300 Ltr
Refrigerant	:	R600a
Control Type	:	Electronic Thermostat
Lamp	:	LED Lamp
Voltage	:	220-240V/50-60Hz
Color	:	Silver
Tempered Glass Shelves	:	Yes
Eco-mode	:	Yes
Fast-freezing	:	Yes



LED Light



Temperature Control



Refrigerant



No Frost



Fast freezing



NUF377NFS

PACKING DETAILS

Net Weight	:	77 KG
Gross Weight	:	83.5 KG
Product Dimension	:	595 x 690 x 1765 MM
Packaging Dimension	:	655 x 800 x 1830 MM
Loading Capacity (40 HQ)	:	73



6 2 9 1 1 0 1 6 9 2 6 6 7



SPECIFICATION

Cooling System	:	Single Door No frost
Net Capacity	:	276 Ltr
Gross Capacity	:	308 Ltr
Refrigerant	:	R600a
Control Type	:	Electronic Thermostat
Lamp	:	LED Lamp
Voltage	:	220-240V/50-60Hz
Color	:	White
Tempered Glass Shelves	:	Yes
Eco-mode	:	Yes
Fast-freezing	:	Yes



LED Light



Temperature Control



Refrigerant



No Frost



Fast freezing



NUF388NF

PACKING DETAILS

Net Weight	:	78KG
Gross Weight	:	85 KG
Product Dimension	:	595 x 720 x 1850 MM
Packaging Dimension	:	670 x 790 x 1895 MM
Loading Capacity (40 HQ)	:	72



6 2 9 1 1 0 1 6 9 2 6 5 0



NUF295



SPECIFICATION

Net Capacity	:	235 Ltr
Gross Capacity	:	238 Ltr
Control	:	Mechanical
Cooling	:	Direct Fan
Refrigerant	:	R600a
Condenser	:	Outside
Thermostat	:	Adjustable
Voltage	:	220-240V/50Hz
Shelves	:	6+1
Lock & Key	:	Available
Color	:	White



Temperature Control



Refrigerant



Noise Level (dB) 42

PACKING DETAILS

Net Weight	:	62 KG
Gross Weight	:	67 KG
Product Dimension	:	596 x 595 x 1744 MM
Packaging Dimension	:	630 x 620 x 1783 MM
Loading Capacity 40hq	:	92



6 2 9 1 1 0 1 6 9 9 0 8 6

UPRIGHT FREEZER



NUF275S



SPECIFICATION

Net Capacity	:	163 Ltr
Gross Capacity	:	182 Ltr
Control	:	Mechanical
Cooling	:	Direct Fan
Refrigerant	:	R600a
Condenser	:	External
Defrost	:	Manual
Voltage	:	220-240V/50Hz
Shelves	:	6
Lock & Key	:	No
Color	:	White



Temperature Control



Manual Defrost



Refrigerant

PACKING DETAILS

Net Weight	:	45 KG
Gross Weight	:	49 KG
Product Dimension	:	550 x 580 x 1430 MM
Packaging Dimension	:	575 x 605 x 1473 MM
Loading Capacity 40hq	:	145



6 2 9 1 1 0 1 6 9 2 5 6 8

SPECIFICATION

Door material	:	Glass door
Capacity	:	126 L
Refrigerant	:	R600a
Doors	:	1
Door Color	:	Black
Condenser	:	Outside
Plug type	:	BS plug
Voltage	:	220-240V/50Hz
No. of Bottle's Capacity	:	54 Bottles
Adjustable Thermostat	:	Yes



NBC130



Lock & Key



LED Light



Temperature Control

PACKING DETAILS

Net Weight	:	41.5KG
Gross Weight	:	45 KG
Product Dimension	:	500 x 575 x 875 MM
Packaging Dimension	:	535 x 620 x 890 MM
Loading Capacity 40hq	:	228



6 2 9 1 1 0 1 6 9 0 8 8 5

BOTTLE COOLER

SPECIFICATION

Door material	:	Glass door
Net Capacity	:	120 L
Gross Capacity	:	132 L
Refrigerant	:	R600a
Doors	:	1
Door Color	:	Black
Condenser	:	Outside
Plug type	:	BS plug
Voltage	:	220-240V/50-60Hz
Handle type	:	Recessed
Handle type	:	Wire



NBC140RH



LED Light



Temperature Control



Refrigerant



Condenser Outside

PACKING DETAILS

Net Weight	:	27 KG
Gross Weight	:	30 KG
Product Dimension	:	523 x 530 x 835 MM
Packaging Dimension	:	560x600x890 MM
Loading Capacity 40hq	:	240



6 2 9 1 1 0 1 6 9 3 1 4 5